

TROPICAL PRO™


SUSTAINABLE DECKING AND CLADDING

Deck Tiles

SUSTAINABLE • STABLE • BEAUTIFUL

Designed for professional performance,
easy installation, and timeless beauty

— Elegance, strength, and low maintenance in every tile



TROPICAL
PRO™.

SUSTAINABLE
DECKING



STABILITY | SUSTAINABLE | INHERENTLY

General Product Details

Tropical Pro™ Deck Tiles are a smart, stylish solution for rooftops, patios, balconies, rooftops and hospitality spaces.

Up to 40% Faster Installation than conventional decking.

Sustainably Sourced, Premium Hardwoods

Fire Resistant

Resistance to wood rot

Any deck is a significant investment... that's why we make commercial grade duty deck tiles from Premium Select Grade Kiln Dried.



DURABLE

Hardest and most durable hardwoods available, offering unmatched strength and longevity for outdoor projects.



25/15 YEAR WARRANTY

Tropical Pro™ Deck tiles carry a warranty of 25 years against wood rot & decay and 15 years against manufacturers defects.



REUSABLE

Tropical Pro™ Deck Tiles are reusable. If you decide to move or just want a different deck configuration, just disconnect the deck tiles from the rubber connector and remove. Ready to be used again!

Applications

Backyard

Poolside

Balconies

Rooftop Terraces

Courtyards

Available Wood Species

Choose the tone, grain, and strength that match your style.

Tropical Pro™ Deck Tiles are crafted from a curated selection of premium tropical hardwoods, each offering unique character, long-lasting performance, and timeless beauty:

IPE

The ultimate hardwood. Dark luxurious color with unmatched density and durability built to last.

CUMARU

Reddish to golden brown. Hues with bold grain patterns. Extremely hard and resistant — perfect for high-traffic areas.

GARAPA

Golden teak toned hardwood with a smooth texture and a warm, inviting appearance. Naturally durable and elegant.

ITAUBA

Similar in color to Ipe, Olive-brown with a refined, silky surface. A balanced choice with excellent weather resistance.

BAMBOO

Deep dark cocoa tones, achieved through thermal modification. Modern, dense, non Combustible Class A+ Fire Rated

Available Deck Tiles Sizes

12" x 12" (EPDM and Star Connectors Only)



24" x 24"



24" x 48"



24" x 72"



Versatile sizes and premium hardwood species — built to perform in both residential retreats and high-traffic commercial spaces

Available in a wide range of standard and custom sizes to suit your application. Custom designs available upon request.

Kiln-Dried to
PERFECTION

Elevating
Wood
Performance

12%-14% moisture content.

6%-8% moisture content.

Ensuring stability and durability in any environment.

Tropical Pro™ Pedestals unique designs, combines the durability and flexibility, benefits of EPDM Rubber which allows the pedestals to be used on any surface including rubber roof membranes directly and without the risk of damage.

Tropical Pro EPDM Pedestal System

EPDM pedestals provide cushioning and noise dampening characteristics which make for a more comfortable and quiet walking surface.



Star Pedestal System

Star T pedestals are ideal for low height and irregular surface applications (Adjustable 3/8" to 9/16") and tight spaces. Star B Pedestal add additional height to 1-1/4", offers post-installation micro-adjustment — perfect for uneven surfaces and seamless transitions to higher pedestal systems.

NM Adjustable Pedestal (Fixed Head)

Height range from 5.9" to 10.63", with optional slope compensator to correct gradients. Supports up to 3,300 lbs. Made from 100% recycled materials and engineered for extreme weather conditions.



Screw Jack Self-Leveling Pedestals

Covers heights from 1.125" to 21.75" with self-leveling technology — perfect for sloped surfaces. Compatible with both deck tiles and traditional joist systems. Rated for high-performance applications up to 200 psf.

Installation

Precision, performance, and flexibility

— from the ground up, with easy-to-install pedestal systems built for speed and stability.



Our connectors are made from EPDM rubber with pressure fit attachment pins that are used to connect the tiles. EPDM connectors are 3/8" thick, allowing water to flow freely under the the wood tiles.


Total Thickness of Deck Tiles = **1.5"**

Total Thickness of Pedestal = **.25"**

Combined Deck Tile and Pedestal Elevation = **1.75"**

Screw Jack Pedestals

- Tropical Pro™ NM Pedestal- Fixed Head
- Tropical Pro™ SE Pedestal- Self Leveling Head
- Tropical Pro™ Self Leveling



Maintenance

Minimal effort, maximum longevity

— designed for easy care and lasting beauty, year after year.

Natural Aging

Left to weather naturally, wood tiles will develop a silvery-gray patina over time.



LOW MAINTENANCE, LONG-LASTING BEAUTY

Keep your deck looking great with simple periodic cleaning.

Keep it clean, keep it timeless

Tropical Pro™ Deck Tiles are designed to age beautifully with minimal upkeep. A simple periodic cleaning helps prevent mold and algae buildup.

For those who prefer to preserve the original color and richness of the wood, we recommend applying Tropical Pro™ Deck & Cladding Oil before installation and refreshing it annually.

Naturally weathered tiles can be easily restored with Tropical Pro™ Wood Cleaner and Brightener — keeping your space looking like new for years to come.

Note: each board has unique characteristics and will weather at different rates depending on climatic conditions and amount of UV exposure. Shrinkage, cracks and changes in the wood is natural.






LEGAL LUMBER™

SUSTAINABLE WOOD

for a sustainable future

Tropical Pro Deck Tiles are available Legal Lumber or FSC Certified. Legal Lumber is TFP's internal Due Care Chain of Custody Environmental Compliance Program. Created to set stringent criteria for the highest sustainability standards in the lumber industry.



We invite you to explore the exceptional quality of **Tropical Pro** hardwoods and discover our extensive range of premium products. Visit us at TropicalPro.com for more information.

TROPICAL PRO™

SUSTAINABLE DECKING AND CLADDING

CALL US

905.672.8000 (CDN)
855.344.4500 (US)

EMAIL

info@tropicalforestproducts.com

WEB

www.tropicalpro.com

FOLLOW US

